



SEQUENCE LISTING

<100> Philippe, CLAIR
Michel, KACZOREK
Jamal, TEMSAMANI

<120> Peptides carrying substances across the blood brain barrier

<130> 3373PCT/US

<140> US 09/857,000

<141> 2001-05-30

<150> FR98/15074

<151> 1998-11-30

<150> PCT/FR99/02938

<151> 1999-11-26

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG1

<400> 1

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 2

<211> 16

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(16)

<223> Protegrin PG2

<400> 2

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Ile Cys Val
1 5 10 15

<210> 3

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE
 <222> (1)..(18)
 <223> Protegrin PG3
 <400> 3

Arg Gly Gly Gly Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
 1 5 10 15

Gly Arg

<210> 4
 <211> 18
 <212> PRT
 <213> porcus
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Protegrin PG4
 <400> 4

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Gly Trp Ile Cys Phe Cys Val
 1 5 10 15

Gly Arg

<210> 5
 <211> 18
 <212> PRT
 <213> porcus
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Protegrin PG5
 <400> 5

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Pro Arg Phe Cys Val Cys Val
 1 5 10 15

Gly Arg

<210> 6
 <211> 18
 <212> PRT
 <213> Limmulus polyphemus
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Polyphemusin P1
 <400> 6

Arg Arg Trp Cys Phe Arg Val Cys Tyr Arg Gly Phe Cys Tyr Arg Lys
 1 5 10 15

Cys Arg

<210> 7
<211> 18
<212> PRT
<213> Limmulus polyphemus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polyphemusin P2
<400> 7

Arg Arg Trp Cys Phe Arg Val Cys Tyr Lys Gly Phe Cys Tyr Arg Lys
1 5 10 15

Cys Arg

<210> 8
<211> 16
<212> PRT
<213> unidentified

<220>
<221> MISC_FEATURE
<222> (1)..(16)
<223> Wherein 6 to 10 Xaa residues are hydrophobic amino acids

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Wherein Xaa is tryptophan
<400> 8

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

<210> 9
<211> 18
<212> PRT
<213> unidentified
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (18)..(18)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Peptide of formula (II)
 <400> 9

Baa Xaa Xaa Baa Xaa Xaa Xaa Xaa Baa Baa Baa Xaa Xaa Xaa Xaa Xaa
 1 5 10 15

Xaa Baa

<210> 10
 <211> 17
 <212> PRT
 <213> unidentified
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
 <221> PEPTIDE
 <222> (1)..(17)
 <223> Peptide of formula (III)
 <400> 10

Baa Xaa Xaa Xaa Baa Xaa Xaa Xaa Baa Xaa Xaa Xaa Xaa Baa Baa Xaa
 1 5 10 15

Baa

<210> 11
 <211> 18
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Syn B1
 <400> 11

Arg Gly Gly Arg Leu Ser Tyr Ser Arg Arg Arg Phe Ser Thr Ser Thr
 1 5 10 15

Gly Arg

<210> 12
 <211> 10
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(10)
 <223> Syn B3
 <400> 12

Arg Arg Leu Ser Tyr Ser Arg Arg Arg Phe
 1 5 10

<210> 13
 <211> 17
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(17)
 <223> Peptide with amino acids in D form
 <400> 13

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Arg Met Lys Trp Lys
 1 5 10 15

Lys